(in accordance with Regulation (EU) 2015/830)

# **CHEMISIL ACETOXY SILICONE**



Version: 2 Page 1 of 7
Revision date: 17/09/2019 Print date: 17/09/2019

### SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: CHEMISIL ACETOXY SILICONE

Product Code: CH010X

1.2 Relevant identified uses of the mixture and uses advised against.

**SEALANT** 

### Uses advised against:

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company: LUSAVOUGA, S.A.

Address: Edifício Lusavouga - Avenida Europa, 375

 City:
 3800 - 533 CACIA

 Province:
 Aveiro (Portugal)

 Telephone:
 +351 234 915 010

 Fax:
 +351 234 915 015

 E-mail:
 lusavouga@lusavouga.pt

 Web:
 www.lusavouga.com

1.4 Emergency telephone number: +351 800 250 250 (CIAV - Available - 24h Portugal)

### **SECTION 2: HAZARDS IDENTIFICATION.**

#### 2.1 Classification of the mixture.

The product is not classified as hazardous within the meaning of Regulation (EU) No 1272/2008.

### 2.2 Label elements.

The preparation is not classified as hazardous according to the Regulation on classification, packing and labelling of hazardous preparations.

### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
Identifiers			Classification	specific concentration limit
CAS No: 64742-47-8 EC No: 917-488-4 Registration No: 01- 2119458943-27-XXXX	A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 1500C to 2900C (3020F to 5540F)., Distillates (petroleum), hydrotreated light, Kerosine - unspecified	10 - 99.99 %	Asp. Tox. 1, H304	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

(in accordance with Regulation (EU) 2015/830)

### CHEMISIL ACETOXY SILICONE



Version: 2 Page 2 of 7
Revision date: 17/09/2019 Print date: 17/09/2019

# **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eve contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing.

#### Ingestion.

Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### SECTION 5: FIREFIGHTING MEASURES.

#### 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the mixture.

# Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

### 6.3 Methods and material for containment and cleaning up.

(in accordance with Regulation (EU) 2015/830)

# CHEMISIL ACETOXY SILICONE



 Version: 2
 Page 3 of 7

 Revision date: 17/09/2019
 Print date: 17/09/2019

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures.

As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35° C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

Refer to technical data sheet available on request.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %				
Uses:	SEALANT				
Breathing protection:					
If the recommended	If the recommended technical measures are observed, no individual protection equipment is necessary.				
Hand protection:					
If the product is handled correctly, no individual protection equipment is necessary.					
Eye protection:	Eye protection:				
If the product is hand	If the product is handled correctly, no individual protection equipment is necessary.				
Skin protection:					
PPE:	Work footwear.				
Characteristics:	«CE» marking, category II.				
CEN standards:	EN ISO 13287, EN 20347				
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should				
	not be used by other people.				
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any				
Observations.	injury resulting from an accident				

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

(in accordance with Regulation (EU) 2015/830)

# CHEMISIL ACETOXY SILICONE



Version: 2 Page 4 of 7
Revision date: 17/09/2019 Print date: 17/09/2019

#### 9.1 Information on basic physical and chemical properties.

Appearance:Pasta muy viscosa.

Colour: varios Odour:Acido acético Odour threshold:N.A./N.A.

pH:N.A.

Melting point: N.A./N.A. Boiling Point: N.A./N.A. Flash point: 93 °C

Evaporation rate: N.A./N.A.

Inflammability (solid, gas): conbustible Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density:N.A./N.A. Relative density:0.92-0.96 Solubility:N.A./N.A. Liposolubility: N.A./N.A. Hydrosolubility: insoluble

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A.

Viscosity: Tixotrópico Explosive properties: N.A. Oxidizing properties: N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

#### 9.2 Other information.

Dropping point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

# **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

### 10.4 Conditions to avoid.

Avoid any improper handling.

## 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

#### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

#### SECTION 11: TOXICOLOGICAL INFORMATION.

### 11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

(in accordance with Regulation (EU) 2015/830)

# **CHEMISIL ACETOXY SILICONE**



 Version: 2
 Page 5 of 7

 Revision date: 17/09/2019
 Print date: 17/09/2019

Name.	Acute toxicity			
Name	Туре	Test	Kind	Value
A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in	Oral	DL50	Rabbit	>5000 mg/kg
the presence of a catalyst. It consists of hydrocarbons having carbon numbers	Dermal			
predominantly in the range of C9 through C16 and boiling in the range of approximately 1500C to 2900C (3020F to 5540F).,Distillates (petroleum), hydrotreated light,Kerosine - unspecified CAS No: 64742-47-8 EC No: 917-488-4	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation; Not conclusive data for classification.

c) serious eye damage/irritation; Not conclusive data for classification.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Based on available data, the classification criteria are not met.

### **SECTION 12: ECOLOGICAL INFORMATION.**

## 12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
A complex combination of hydrocarbons obtained by treating a petroleum fraction with	FISN	CL50	Fish	>84.444 mg/l (96 horas)
hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon	Aquatic invertebrates	CL50	Daphnia magna	>10000 mg/l (48 horas)
numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 1500C to 2900C (3020F to 5540F).,Distillates (petroleum), hydrotreated light,Kerosine - unspecified CAS No: 64742-47-8 EC No: 917-488-4	Aquatic plants	EC50	Algae	>1000 mg/l (72 horas)

(in accordance with Regulation (EU) 2015/830)

# CHEMISIL ACETOXY SILICONE



Version: 2 Page 6 of 7
Revision date: 17/09/2019 Print date: 17/09/2019

#### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

## **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR: Transportation is not dangerous. IMDG: Transportation is not dangerous.

ICAO/IATA: Transportation is not dangerous.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

#### 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

#### 14.6 Special precautions for user.

,Transportation is not dangerous.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

### **SECTION 15: REGULATORY INFORMATION.**

### 15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

(in accordance with Regulation (EU) 2015/830)

# CHEMISIL ACETOXY SILICONE



Page 7 of 7 Revision date: 17/09/2019 Print date: 17/09/2019

Volatile organic compound (VOC)

VOC content (p/p): 0 % VOC content: 8,28 g/l

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H304 May be fatal if swallowed and enters airways.

Classification codes:

Asp. Tox. 1: Aspiration toxicity, Category 1

Changes regarding to the previous version:

- Change of the name of the product (SECTION 1.1).
- Change of the uses of the product (SECTION 1.2).
- Modifications in the first aid measures (SECTION 4.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Modification of ecological information values (SECTION 12.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).

It is recommended that the product only be employed for the purposes advised.

Abbreviations and acronyms used:

CEN: European Committee for Standardization. EC50: Half maximal effective concentration. PPE: Personal protection equipment. Lethal concentration, 50%. LC50:

LD50: Lethal dose, 50%.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

Regulation (EU) 2015/830.

http://echa.europa.eu/ Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.