

Page 1/9

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 156

Revision: 17.12.2019

	entifier	
Trade name: <u>(</u>	CHEMISOL S.	ILICONE SPRAY
No further rele Sector of Use SU21 Consun SU22 Profess craftsmen)	lentified uses of vant information ner uses: Priva ional uses: Pu ional uses: Pu pry PC24 Lub ry trial spraying	of the substance or mixture and uses advised against on available. tte households / general public / consumers blic domain (administration, education, entertainment, services, pricants, greases, release products
Application of	the substance	/ the mixture Lubricant
	, S.A. ouga - Avenida CIA al) 010 015	Europa, 375 vw.lusavouga.com
1.4 Emergency	, telephone nu	ble from: Department Product Safety mber: - 17:00h) UK NPIS National Poisons Information Centre Tel +44 0344 892 0111
1.4 Emergency +31 (0)561-69 SECTION 2 2.1 Classificati	e telephone nu 4400 (09:00h : Hazards id ion of the subs	mber:
1.4 Emergency +31 (0)561-69 SECTION 2 2.1 Classificati Classification	e telephone nu 4400 (09:00h : Hazards id ion of the subs	mber: - 17:00h) UK NPIS National Poisons Information Centre Tel +44 0344 892 0111 dentification dance or mixture
1.4 Emergency +31 (0)561-69 SECTION 2 2.1 Classification Classification of GHS	telephone nu 4400 (09:00h : Hazards id ion of the subs according to R	mber: - 17:00h) UK NPIS National Poisons Information Centre Tel +44 0344 892 0111 dentification dance or mixture
1.4 Emergency +31 (0)561-69 SECTION 2 2.1 Classification Classification GHS Aerosol 1	telephone nu 4400 (09:00h : Hazards id ion of the subs according to R	mber: - 17:00h) UK NPIS National Poisons Information Centre Tel +44 0344 892 0111 dentification dance or mixture Regulation (EC) No 1272/2008 29 Extremely flammable aerosol. Pressurised container: May burst if heated.
1.4 Emergency +31 (0)561-69 SECTION 2 2.1 Classification Classification GHS Aerosol 1 GHS	2 telephone nu 4400 (09:00h 2: Hazards id 50n of the subs according to R 502 flame H222-H2 509 environmen ic 2 H411	mber: - 17:00h) UK NPIS National Poisons Information Centre Tel +44 0344 892 0111 dentification dance or mixture Regulation (EC) No 1272/2008 29 Extremely flammable aerosol. Pressurised container: May burst if heated.
1.4 Emergency +31 (0)561-69 SECTION 2 2.1 Classification Classification GHS Aerosol 1 Aquatic Chron	2 telephone nu 4400 (09:00h 2: Hazards id 50n of the subs according to R 502 flame H222-H2 509 environmen ic 2 H411	<i>mber:</i> - 17:00h) UK NPIS National Poisons Information Centre Tel +44 0344 892 0111 dentification stance or mixture Regulation (EC) No 1272/2008 29 Extremely flammable aerosol. Pressurised container: May burst if heated.

Page 2/9


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY



SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

EC number: 927-510-4	Naphtha (petroleum), hydrotreated light	25-<50%
Reg.nr.: 01-2119475515-33	 Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H336 	
CAS: 74-98-6	propane	20-<25%
EINECS: 200-827-9	Flam. Gas 1, H220	
Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	Press. Gas (Comp.), H280	
8	kutan a	125 - 200/
CAS: 106-97-8 EINECS: 203-448-7	butane Ø Flam. Gas 1, H220	12.5-<20%
Index number: 601-004-00-0		
Reg.nr.: 01-2119474691-32	17655. Cus (Comp.), 11200	
CAS: 75-28-5	isobutane	12.5-<20%
EINECS: 200-857-2	🚸 Flam. Gas 1, H220	
Index number: 601-004-00-0	Press. Gas (Comp.), H280	
Reg.nr.: 01-2119485395-27		
	(0	ontd. on page

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

- Do not spray onto a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.
- Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. • Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 07.01.2020

· Odour:

· pH-value:


· Odour threshold:

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY

(Contd. of page 3)



Solvent-like

Not determined. Not determined.

GB –

(Contd. on page 5)

Printing date 07.01.2020

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY

	(Contd.	of page
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	>230 °C (>446 °F)	
Decomposition temperature:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	0.9 Vol %	
Upper:	10.9 Vol %	
Vapour pressure at 20 °C (68 °F):	3500 hPa (2625.2 mm Hg)	
Density at 20 °C (68 °F):	0.6 g/cm³ (5 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	92.0 %	
VOC (EC)		
	584.5 g/l	
VOC-EU%	92.00 %	
Solids content:	0.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.

*

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 07.01.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY

Carcinoge Reproduct STOT-sing May cause STOT-repo	(Contd. of pa ts (carcinogenity, mutagenicity and toxicity for reproduction) mutagenicity Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. twe toxicity Based on available data, the classification criteria are not met. the exposure drowsiness or dizziness. pated exposure Based on available data, the classification criteria are not met. hazard Based on available data, the classification criteria are not met.	ge 5)
SECTIO	N 12: Ecological information	
- 12.1 Toxic	ity	
	cicity: No further relevant information available.	
	tence and degradability No further relevant information available.	
	cumulative potential No further relevant information available.	
	ity in soil No further relevant information available.	
· Ecotoxical		
• Remark: 7		
· Aaaaaonaa · General na	ecological information:	
	nes. rd class 2 (German Regulation) (Self-assessment): hazardous for water	
	w product to reach ground water, water course or sewage system.	
	drinking water if even small quantities leak into the ground.	
	nous for fish and plankton in water bodies.	
	quatic organisms	
	s of PBT and vPvB assessment	
• PBT: Not a		
• vPvB: Not		
- 12.6 Other	adverse effects No further relevant information available.	

15 01 04 metallic packaging

· Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- 14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
IMDG	AEROSOLS (Naphtha (petroleum), hydrotreated light),
	MARINE POLLUTANT

Printing date 07.01.2020

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY

	(Contd. of pa
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1 2.1
IMDG	
V V	
Class	2.1
Label	2.1
IATA	
Class	2.1
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	
Marine pollutant:	Yes
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user Danger code (Kemler):	Warning: Gases.
EMS Number:	<i>F-D,S-U</i>
Stowage Code	SWI Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litt
	Category A. For AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOLS: Category C, Clea
	Category B. For WASTE AEROSOLS: Category C, Clea of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 liti
_	Segregation as for class 9. Stow "separated from" class
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2
14.7 Transport in bulk according to Anna Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0

Printing date 07.01.2020

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY

	(Contd. of page 7
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: R&D legislation and regulatory advisor Contact: msds@nl.motipdupli.com Abbreviations and acronyms: RID Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO International Civil Aviation Organisation ADR Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG International Maritime Code for Dangerous Goods IATA International Air Transport Association

GHS Globally Harmonised System of Classification and Labelling of Chemicals

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

CAS Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

GB

Printing date 07.01.2020

Version number 156

Revision: 17.12.2019

Trade name: CHEMISOL SILICONE SPRAY

(Contd. of page 8)

VOC Volatile Organic Compounds (USA, EU)
PBT Persistent, Bioaccumulative and Toxic
SVHC Substances of Very High Concern
vPvB very Persistent and very Bioaccumulative
Flam. Gas 1 Flammable gases – Category 1
Aerosol 1 Aerosols – Category 1
Press. Gas (Comp.) Gases under pressure – Compressed gas
Flam. Liq. 2 Flammable liquids – Category 2
Skin Irrit. 2 Skin corrosion/irritation – Category 2
STOT SE 3 Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1 Aspiration hazard – Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
* Data compared to the previous version altered.

GB