



## CHEMISOL STAINLESS STEEL

CHEMISOL Stainless Steel Cleaner Spray is a high-quality product, suitable for cleaning and protecting stainless steel parts.

- ✓ **Easy to use**
- ✓ **Excellent cleaning properties**
- ✓ **Good corrosion prevention**
- ✓ **Restores and intensifies shine**
- ✓ **Long-lasting protection**
- ✓ **Not polishable**
- ✓ **Misty spraying**

### APPLICATIONS

Suitable for cleaning and protecting stainless steel parts, indoors or out.

### INDICATIONS

The spray must be at room temperature.

The best temperature of use should be from 5°C to 30°C.

### INSTRUCTIONS

Before use, shake the spray can.

To prevent scratches, remove loose dirt with a soft brush.

Apply CHEMISOL Stainless Steel Cleaner Spray in a thin and equivalent layer and let it work.

Remove the dirt with a clean cloth.

## TECHNICAL SPECIFICATIONS

Color	Transparent
Base	Combination of mineral oil and specific additives
Propellant	Carbon dioxide (CO2)
EU-VOC solvent percentage	≈ 80% w/w
Odor	Lemon
Relative density at 20°C	0,74 g/ml
Yield	1,18 g/seconds
Steam pressure at 20°C	3 to 4 bar
Refractive index at 25°C	1,46 (ASTM D 1218)
Viscosity oil at 20°C	13 mPa.s

These values may vary depending on environmental factors such as temperature and humidity. The curing time is higher the lower the temperature and humidity and the greater the thickness of the product.

SAP	ml	Shelf Life		EAN
CHC030105	400	10 years	12	5604630050340

**Note:** The technical information provided, either verbally or in writing, is based on our current knowledge and should be considered as collaboration without commitment. The use of the product is beyond our control, thus, we rule out any responsibility for its improper use. The customer is responsible to confirm and validate (by testing) if the product is suitable for the process and the type of use in question. Our purpose is exclusively to guarantee the quality of the products, according to our standards.