



CHEMITOOL flap discs comply with European Standards (EN 13743).

## SILICON CARBIDE FLAP DISC

CHEMITOL Silicon Carbide (SiC) Flap Disc was developed for professional use in various types of materials. Conical format, with rough grinding and a high level of efficiency.

- ✓ **Fast cooling**
- ✓ **High performance**
- ✓ **Aggressive thinning**
- ✓ **Less vibration**
- ✓ **Long tool life**
- ✓ **Thinning resistance, down to the last grain**
- ✓ **Great stability and job safety**

CHEMITOOL Silicon Carbide (SiC) Flap Disc is composed of a mixture of abrasive Silicon Carbide (SiC) grains and has an excellent removal rate and durability. This product is intended for sanding hard minerals, stone and composite materials, varnishes and paint, as well as sanding between layers of varnish. Also ideal for texturing and sanding varnishes and paint, primers, fillers and plastics. It is suitable for precision work on ferrous and non-ferrous materials. It aims to deburr, grind weld beads and remove varnishes, paints and imperfections from surfaces. To make the most of the abrasive flaps, it should be used at a contact angle with the surface from 10° to 25°.

### Abrasive















Silicon Carbide (SiC)

### Suitable for

Hard Minerals, Stone and Composite Materials, Varnishes, Paints. Ferrous and Non-Ferrous Materials

### Suitable Machines

Angle Grinder

SAP	Ø (mm)	Bore Diameter (mm)		R.P.M.	Format		EAN
CHA0208115040	115	22	40	13 300		10	5604630014311
CHA0208115060	115	22	60	13 300		10	5604630014328
CHA0208115080	115	22	80	13 300		10	5604630014335
CHA0208115120	115	22	120	13 300		10	5604630014342
CHA0208125040	125	22	40	12 200		10	5604630014359
CHA0208125060	125	22	60	12 200		10	5604630014366
CHA0208125080	125	22	80	12 200		10	5604630014373
CHA0208125120	125	22	120	12 200		10	5604630014380
CHA0208180040	180	22	40	8 500		10	5604630014397
CHA0208180060	180	22	60	8 500		10	5604630014403
CHA0208180080	180	22	80	8 500		10	5604630014410
CHA0208180120	180	22	120	8 500		10	5604630014427

**Note:** The technical information provided, either verbally or in writing, is based on our current knowledge and should be considered as collaboration without commitment. The use of the product is beyond our control, thus, we rule out any responsibility for its improper use. The customer is responsible to confirm and validate (by testing) if the product is suitable for the process and the type of use in question. Our purpose is exclusively to guarantee the quality of the products, according to our standards.