







CHEMISIL

snjf)	NEUTRAL SILICONE - For construction	* * * * EUROPE * * * *	
Lingo	ACETOXY SILICONE - Multipurpose	* * * * ± UKROPE * * * * *	
1: martine	BATHROOM AND KITCHEN SILICONE - Mold resistant	* * * * * EUROPE * * * * *	
	HIGH TEMPERATURE SILICONE - Resists up to 300°C	EN13501-2 E-220	1

CHEMIHYB



MS POLYMER ADHESIVE CRYSTAL - High-tack polymer-based adhesive





MS POLYMER ADHESIVE COLOURS - High-tack polymer-based adhesive





TENSILE STRENGTH High-tack polymer-based adhesive



CHEMIPOL



POLYURETHANE ADHESIVE Adhesive with high elasticity



CHEMIACRYL




ACRYLIC SEALANT Suitable for joints with reduced movement





°Z

CHEMIGLU





HOT MELT GLUE STICK The glue sticks when hot

* * * EUROPE * * * *



CHEMIMOUNT -



ASSEMBLY ADHESIVE - Fast setting





POLYURETHANE ASSEMBLY ADHESIVE D4 - Excellent gap-filling properties



CHEMIRES



POLYESTER CHEMICAL ANCHOR - High-bond strength 

EPOXY CHEMICAL ANCHOR - High-bond strength. Styrene free



* * *



ì





VINYLESTER CHEMICAL ANCHOR - High-bond strength. Styrene free



🛞 🖉 🛇 🖎 🚇 🛇



CHEMICAL ANCHOR CAPSULE - Fixing resin in ampoule form. Styrene free

CHEMIFOA	Μ						
linger annon	POLYURETHANE FOAM B3 - Compact structure, fast cure	* * * EURO *	DOESN'T DAMAGE THE * OZONE LAYER				
I: CORNEL	POLYURETHANE FOAM - F		DOESN'T DAMAGE THE * OZONE LAYER *			> <>	
Lings	POLYURETHANE FOAM BI - Excellent thermal and acoustic insu	llation ★ ★ ★ EURO ★	DOESN'T DAMAGE THE * OZONE LAYER				
I Control of the second	FOAM CLEANER - Removes non-cured foam	100 /#x+3 * EURO * *	*	7			I
APPLICATION							
Glass Fram	mes Construction	Wood	Assembly	Pipes	Toilets	Kitchens	
Expansion joints Ship	building	Automobile industry	Handrails	Isolation	Gates	Antennas	
Rooves	Universal use Ventilation cha	nnels Electrical	installations Over	en Joints B	arbecues	replaces	
PROPERTIES							
Indoors and outdoors	High adhesion Flexible	Crack-Resistar	nt Weathe	er-resistant	Mold-resistant	Fast drying	
Paintable Multiple subst	trates Humid environments	Heavy loads	High temperature	Dynamic loads	Manual Use	Use with spray gui	n

CHEMITOOL CHEMICAL PRODUCTS are manufactured according to the highest construction standard requirements and always in line with the latest European directives and standards. Our wide range of world-class Construction and Industrial Chemical products is produced in order to satisfy our customers and exceed their expectations.

The CHEMITOOL Development Team works closely with carefully selected manufacturers, in order to obtain a top quality product available worldwide.





Avenida Europa, 375
3800-533 Cacia
PORTUGAL

li www.chemitool.com



















