Page 1/8



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CHEMISOL CHAIN OIL SPRAY

· Article number: CHC010106

- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Preparation

• Details of the supplier of the safety data sheet • Manufacturer/Supplier: LUSAVOUGA, S.A. Edificio Lusavouga - Avenida Europa, 375 3800 - 533 CACIA Aveiro (Portugal) +351 234 915 010 | +351 234 915 015 lusavouga@lusavouga.pt | www.lusavouga.com

Further information obtainable from: Quality Department - qualidade@lusavouga.pt
Emergency telephone number: Tel: +31 (0)561 694400 (08.00 / 17.00)

2 Hazards identification

· Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Aerosol 1 H222 Extremely flammable aerosol. GHS07 STOT SE 3 H336 May cause drowsiness or dizziness. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC F+; Extremely flammable R12: Extremely flammable. *R52/53-66-67*: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. Warning! Pressurized container. Has a narcotizing effect. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. (Contd. on page 2) GB

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

(Contd. of page 1)

### Trade name: CHEMISOL CHAIN OIL SPRAY

- · Label elements
- · Labelling according to EU guidelines:

*The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.* 

· Code letter and hazard designation of product:



F+ Extremely flammable

### · Risk phrases:

- 12 Extremely flammable.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

### · Safety phrases:

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe aerosol.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.

### • Special labelling of certain preparations:

*Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.* 

Do not spray on a naked flame or any incandescent material.

- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

+ R12	
N R51/53	
<u>R6</u> 6-67	
🚸 Flam. Liq. 2, H225	
× · · ·	
► <i>F</i> + <i>R</i> 12	12.5-20%
🐼 Flam. Gas 1, H220	
Press. Gas, H280	
F + R12	10-12.5%
<b>Flam.</b> Gas 1. H220	
Press. Gas, H280	
	N R51/53 R66-67 Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H336 F+ R12 Flam. Gas 1, H220 Press. Gas, H280 Flam. Gas 1, H220

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

Trade name: CHEMISOL CHAIN OIL SPRAY

			(Contd. of page 2)
CAS: 75-28-5	isobutane	<b>•</b> <i>F</i> + <i>R12</i>	5-10%
EINECS: 200-857-2		🚸 Flam. Gas 1, H220	
		🔶 Press. Gas, H280	

• Additional information: For the wording of the listed risk phrases refer to section 16.

# 4 First aid measures

### · Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- *Protective equipment:* No special measures required.

# 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

- Handling:
- **Precautions for safe handling** No special measures required. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- *Information about fire and explosion protection:* Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

### Trade name: CHEMISOL CHAIN OIL SPRAY

(Contd. of page 3) Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

### · Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed. Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

109-66-0 pentane

WEL Long-term value: 1800 mg/m<sup>3</sup>, 600 ppm

106-97-8 butane

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm

Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.
- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.

• *Eye protection:* Not required.

Information on basic physical and cl General Information	hemical properties	
Appearance:		
Form:	Aerosol	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	Not applicable, as aerosol.	
Flash point:	< 0°C (< 32°F)	
-	Not applicable, as aerosol.	

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

Trade name: CHEMISOL CHAIN OIL SPRAY

	(Contd. of pag
Ignition temperature:	285°C (545°F)
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	<i>Product is not explosive. However, formation of explosive air/</i> <i>vapour mixtures are possible.</i>
Explosion limits:	
Lower:	1.4 Vol %
Upper:	10.9 Vol %
Vapour pressure at 20°C (68°F):	3500 hPa (2625 mm Hg)
Density at 20°C (68°F):	0.676 g/cm <sup>3</sup> (5.641 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Segregation coefficient (n-octanol/wa	nter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	<i>59.0 %</i>
Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values	relevant for	classification:
------------------	--------------	-----------------

### 109-66-0 pentane

	<b>I I I I I I I I I I</b>	
Oral	LD50	>16000 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (rat)
		>5000 mg/kg (rabbit)
	LC50 / 4 h	>100 mg/m3 (rat)
106-97-6	8 butane	

### LC50 / 4 h 658 mg/m3 (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.

(Contd. on page 6)

<sup>-</sup> GB

Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

(Contd. of page 5)

### Trade name: CHEMISOL CHAIN OIL SPRAY

· Sensitization: No sensitizing effects known.

Toxicity	,
Acquati	c toxicity:
109-66-	0 pentane
EC50/	48 h 9.7 mg/l (daphnia magna)
Persiste	nce and degradability No further relevant information available.
	our in environmental systems:
	mulative potential No further relevant information available.
	v <b>in soil</b> No further relevant information available.
	cal effects:
	: Harmful to fish
Additio	nal ecological information:
Genera	notes:
Water h	azard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not a	allow product to reach ground water, water course or sewage system.
Danger	to drinking water if even small quantities leak into the ground.
Harmfu	to aquatic organisms
Results	of PBT and vPvB assessment
	ot applicable.
vPvB: N	<i>Iot applicable.</i>
Other a	dverse effects No further relevant information available.

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 13\* solvents

15 01 04 metallic packaging

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

· Land transport ADR/RID	(cross-border)
· ADR/RID class:	2 5F Gases.
· Danger code (Kemler):	-
· UN-Number:	1950
· Packaging group:	-
· Hazard label	2.1
· UN proper shipping name.	: 1950 AEROSOLS
· Limited quantities (LQ)	LQ2
· Transport category	2

(Contd. on page 7)

Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

# Trade name: CHEMISOL CHAIN OIL SPRAY

Tunnel restriction code	D	(Contd. of page
Maritime transport IMD	J.	
IMDG Class:	2.1	
UN Number:	1950	
Label	2.1	
Packaging group:	-	
EMS Number:	F-D,S-U	
Marine pollutant:	No	
Proper shipping name:	AEROSOLS	
Air transport ICAO-TI a	nd IATA-DGR:	
•		
2		
	2.1	
ICAO/IATA Class		
ICAO/IATA Class:		
UN/ID Number:	1950	
UN/ID Number: Label		
UN/ID Number:	1950	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to EU guidelines:

*The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.* 

· Code letter and hazard designation of product:



F+ Extremely flammable

### · Risk phrases:

- *12 Extremely flammable.*
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

### · Safety phrases:

- *2 Keep out of the reach of children.*
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe aerosol.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.

(Contd. on page 8)

Printing date 23.03.2011

Version number 17

Revision: 23.03.2011

Trade name: CHEMISOL CHAIN OIL SPRAY

(Contd. of page 7)

• Special labelling of certain preparations:

*Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.* 

Do not spray on a naked flame or any incandescent material.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- R12 Extremely flammable.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- *R65 Harmful: may cause lung damage if swallowed.*
- *R66 Repeated exposure may cause skin dryness or cracking.*
- *R67* Vapours may cause drowsiness and dizziness.

#### · Department issuing MSDS: Quality Department

· Contact: qualidade@lusavouga.pt

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

• \* Data compared to the previous version altered.