Page 1/9



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: <u>CHEMISOL V BELT SPRAY</u>

· Article number: CHC020319

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Lubricant

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: LUSAVOUGA, S.A.
Edificio Lusavouga - Avenida Europa, 375 3800 - 533 CACIA
Aveiro (Portugal)
+351 234 915 010 | +351 234 915 015 lusavouga@lusavouga.pt | www.lusavouga.com

• Further information obtainable from: Quality Department - qualidade@lusavouga.pt • 1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Flam. Aerosol 1 GHS09 environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. GHS07 STOT SE 3 H336 May cause drowsiness or dizziness. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R38: Irritating to skin. *F+; Extremely flammable* R12: Extremely flammable. N; Dangerous for the environment *R51/53*: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. *R67*: Vapours may cause drowsiness and dizziness. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for

preparations of the EU" in the latest valid version.

(Contd. on page 2)

Page 2/9


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

Trade name: CHEMISOL V BELT SPRAY



Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

Trade name: CHEMISOL V BELT SPRAY

	(C	ontd. of page 2)
CAS: 74-98-6	propane	20-25%
EINECS: 200-827-9 Index number: 601-003-00-5	F + R12	
Reg.nr.: 01-2119486944-21-xxxx	📀 Flam. Gas 1, H220 Press. Gas C, H280	
CAS: 106-97-8	butane	12.5-20%
EINECS: 203-448-7	<i>F</i> + <i>R</i> 12	
Index number: 601-004-00-0	(b) Flam. Gas 1, H220	
Reg.nr.: 01-2119474691-32-xxxx		
CAS: 109-66-0	pentane	12.5-20%
EINECS: 203-692-4 Index number: 601-006-00-1	Xn R65 $F + R12$	
Reg.nr.: 01-2119459286-30-xxxx		
Reg 01 2117 137200 50 XXXX	R66-67	
	🛞 Flam. Liq. 2, H225	-
	(Asp. Tox. 1, H304	
	🚯 Aquatic Chronic 2, H411	
	♦ STOT SE 3, H336	
CAS: 75-28-5	isobutane	12.5-20%
EINECS: 200-857-2		
Index number: 601-004-00-0	🚸 Flam. Gas 1, H220	
Reg.nr.: 01-2119485395-27-xxxx	Press. Gas C, H280	

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.

6.2 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

(Contd. on page 4)

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

(Contd. of page 3)

Trade name: CHEMISOL V BELT SPRAY

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

109-66-0 pentane

WEL Long-term value: 1800 mg/m³, 600 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

• Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

Trade name: CHEMISOL V BELT SPRAY

(Contd. of page 4) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical an	d chemical properties
• General Information	
· Appearance:	
Form:	Aerosol
Colour:	According to product specification
· Odour:	Solvent-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
· Flash point:	< 0 °C (< 32 °F)
-	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	> 200 °C (> 392 °F)
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/
	vapour mixtures are possible.
· Explosion limits:	
Lower:	1.1 Vol %
Upper:	10.9 Vol %
· Vapour pressure at 20 °C (68 °F):	3500 hPa (2625 mm Hg)
• Density at 20 •C (68 •F):	0.62 g/cm ³ (5.174 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
\cdot Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
	(Contd. on page

GB

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

(Contd. of page 5)

Trade name: CHEMISOL V BELT SPRAY

Kinematic:

Not determined.

• Solvent content: Organic solvents:

• 9.2 Other information

93.0 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification: 64742-49-0 Naphtha (petroleum), hydrotreated light Oral LD50 >5000 mg/kg (rat) Dermal LD50 >2600 mg/kg (rabbit) Inhalative LC50 / 4 h >193 mg/m3 (rat) 106-97-8 butane Inhalative LC50 / 4 h 658000 mg/m3 (rat) 109-66-0 pentane Oral LD50 >16000 mg/kg (rat) LD50 Dermal >2500 mg/kg (rat) >5000 mg/kg (rabbit) Inhalative LC50/4h >100 mg/m3 (rat)

· Primary irritant effect:

• Skin corrosion/irritation Irritant to skin and mucous membranes.

• Serious eye damage/irritation No irritating effect.

• Respiratory or skin sensitisation No sensitising effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

• 12.1 Toxicity • Aquatic toxicity:

64742-49-0 Naphtha (petroleum), hydrotreated light

LC50 127-159 mg/l (Leuciscus idus)

109-66-0 pentane

EC50 / 48 h 9.7 mg/l (daphnia magna)

LC50/96 h 1-10 mg/l (fish)

(Contd. on page 7)

GB

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

(Contd. of page 6)

Trade name: CHEMISOL V BELT SPRAY

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish
- \cdot Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 13* solvents

- 15 01 04 metallic packaging
- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.

14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS, MARINE POLLUTANT/
	ENVIRONMENTALLY HAZARDOUS
IMDG	AEROSOLS (Naphtha (petroleum), hydrotreated light,
	PENTANES), MARINE POLLUTANT
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

Trade name: CHEMISOL V BELT SPRAY

	(Contd. of pag
IMDG	
Class	2.1
Label	2.1
ΙΑΤΑ	
	2.1
Class Label	2.1 2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Product contains environmentally hazardous substances.
Marine pollutant:	Naphtha (petroleum), hydrotreated light Yes
murme ponumn.	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F-D,S-U
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	
	Not applicable.
Transport/Additional information:	
ADR Limited an artifica (LO)	17
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0
Excepted quantities (EQ)	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN1950, AEROSOLS, 2.1, MARINE POLLUTANT/
0	ENVIRONMENTALLY HAZARDOUS

*

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

 \cdot Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 59

Revision: 02.06.2015

Trade name: CHEMISOL V BELT SPRAY

(Contd. of page 8)

	formation is based on our present knowledge. However, this shall not constitute a guarantee for any c product features and shall not establish a legally valid contractual relationship.
	nt phrases
H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
R11	Highly flammable.
R12	Extremely flammable.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.
ICAO: In ADR: Ac Carriage IMDG: I. IATA: In GHS: GI EINECS: CAS: Ch LCSO: La LDSO: L LDSO: L LDSO: L CSO: Co Flam. Ga Flam. Ac Flam. Lia	onal Transport of Dangerous Goods by Rail) ternational Civil Aviation Organisation cord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International of Dangerous Goods by Road) international Maritime Code for Dangerous Goods ternational Maritime Code for Dangerous Goods ternational Air Transport Association obally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances European Inventory of Existing Commercial Chemical Substances emical Abstracts Service (division of the American Chemical Society) ethal concentration, 50 percent ethal dose, 50 percent is 1: Flammable gases, Hazard Category 1 rosol 1: Flammable gases, Hazard Category 1 as C: Gases under pressure: Compressed gas q. 2: Flammable liquids, Hazard Category 2 '3: Specific target organ toxicity - Single exposure, Hazard Category 3
Asp. Tox.	1: Aspiration hazard, Hazard Category 1 Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2