




MUGELLO S1P SRC HRO SAFETY SHOE

MUGELLO S1P SRC HRO CHEMITOOL Safety Shoe in mesh, with a modern and very comfortable design. It has a loop on the back for easy putting on. Its composite toecap makes the shoe lighter, does not conduct electricity and allows you to protect your feet from impacts, compressions, heavy objects and perforations. The Hi-Poly insole absorbs shock and protects the metatarsal, the arch of the foot and the heel, which prevents calcaneal spurs and muscular pain in the legs. It has antibacterial properties, which reduces the proliferation of fungus and reduces bad odours.

- ✓ **Composite toe cap**
- ✓ **Non-metallic anti-perforation insole**
- ✓ **Hi-Poly Shock-absorbing and antibacterial insole**
- ✓ **Anti-static sole with impact absorption on the heel**
- ✓ **Oil and hydrocarbon resistant sole**
- ✓ **Penetration resistant sole**
- ✓ **HRO Sole - resistance of the outsole to hot contact 300°C**

EN ISO 20345



TECHNICAL SPECIFICATIONS

COMPOSITION	MESHES FABRIC
Exterior	Meshes fabric
Interior	Fabric
Anti-perforation insole	No metallic
Insole	Hi-Poly
Toe cap	Composite
Outsole	Rubber + EVA
Color	Black/Red; Black/Grey; Black/ Blue
Sizes	35-48

HRO SOLE 300°C RESISTANT SOLE



- SOLA HRO
SOLA RESISTENTE ATÉ 300°C
- SUELA HRO
SUELA RESISTENTE HASTA 300°C

COMPOSITE TOE CAP CE 200J



- CE 200J BIQUEIRA DE COMPÓSITO
- CE 200J PUNTERA DE COMPOSITE

INSOLE ANTIBACTERIAL SHOCK ABSORBING



- PALMILHA HI-POLY
MAIS CONFORTO TODO O DIA
- PLANTILLA HI-POLY
MÁS COMODIDAD TODO EL DÍA

OUTSOLE RUBBER + EVA



- SOLA PU DUPLA DENSIDADE
- SUELA DOBLE DENSIDAD

NON-METALLIC NO METALLIC COMPONENTS



- NÃO METÁLICO
SEM COMPONENTES METÁLICOS
- NO METÁLICO
SIN COMPONENTES METÁLICOS

MAINTENANCE AND STORAGE CARE

You must follow these guidelines to allow that your footwear keeps its quality and **extend its durability**.

- When taking off your shoes, let your footwear air out before storing them.
- You should always keep your shoes dry and preferably clean. You can place a sheet of newspaper or absorbent paper inside the shoes to absorb the moisture from sweating. It prevents bad odours and the creation of bacteria that can cause fungus.
- You must not use the same shoes twice in a row! The shoes must have time to completely dry the sweating that they have absorbed during the day. If they are damp, can develop bacteria causing unpleasant odours and, even more serious, the proliferation of fungus and consequently diseases, such as unwanted mycoses.
- Clean regularly with a brush or cloth to prevent accumulation of dirt and preferably wash them at least once a month.
- Regularly disinfect the shoe inside with a suitable spray, you can also use isopropyl alcohol or baking soda.
- Wash the insole regularly and change it when it is not in its proper condition.
- Shoes should be stored in their original packaging in a cool, dry place and away from light.

HOW TO CLEAN TO REMOVE MORE DIFFICULT DIRT

- **Leather footwear:** clean with a slightly damp cloth and, as the last option you can use a soft cloth or a soft brush with neutral soap. You should avoid this procedure as it can stain the leather, test before in a less visible area. Let it air dry, but not expose to the sun, after drying apply a moisturizing cream or shoe polish
- **Suede footwear:** To protect against stains and water splashes, you should use a suitable waterproofing spray. Do not use water to clean this material. To clean, use a bristle brush and brush the shoes in the opposite direction to the suede fibres to remove dust and dirt. At the end, pass the brush in the suede fibres direction to leave it in the initial position.
- **Microfiber and fabric footwear:** Microfiber can be washed or sanitized at up to 60°C without drying out or losing its original characteristics. You should only wash it with water and neutral detergent. Microfiber shoes should also dry at room temperature and in the shade, and never near sources of intense heat, such as clothes dryers, boilers, heaters, stoves, cookers or the sun, as the footwear can lose its flexibility.

SAP	SIZE	EAN	COLOR
CHS01060335	35	5604630087803	RED
CHS01060336	36	5604630087810	
CHS01060337	37	5604630019958	
CHS01060338	38	5604630019941	
CHS01060339	39	5604630019934	
CHS01060340	40	5604630019927	
CHS01060341	41	5604630019910	
CHS01060342	42	5604630019903	
CHS01060343	43	5604630019897	
CHS01060344	44	5604630021616	
CHS01060345	45	5604630021609	
CHS01060346	46	5604630021593	
CHS01060347	47	5604630021586	
CHS01060348	48	5604630087827	

Note: The technical information provided, either verbally or in writing, is based on our current knowledge and should be considered as collaboration without commitment. The use of the product is beyond our control, thus, we rule out any responsibility for its improper use. The customer is responsible to confirm and validate (by testing) if the product is suitable for the process and the type of use in question. Our purpose is exclusively to guarantee the quality of the products, according to our standards.



SAP	SIZE	EAN	COLOR
CHS01060235	35	5604630136334	BLUE
CHS01060236	36	5604630136341	
CHS01060237	37	5604630020060	
CHS01060238	38	5604630020053	
CHS01060239	39	5604630020046	
CHS01060240	40	5604630020039	
CHS01060241	41	5604630020022	
CHS01060242	42	5604630020015	
CHS01060243	43	5604630020008	
CHS01060244	44	5604630019996	
CHS01060245	45	5604630019989	
CHS01060246	46	5604630019972	
CHS01060247	47	5604630019965	
CHS01060248	48	5604630136358	
CHS01060135	35	5604630136303	GREY
CHS01060136	36	5604630136310	
CHS01060137	37	5604630020176	
CHS01060138	38	5604630020169	
CHS01060139	39	5604630020152	
CHS01060140	40	5604630020145	
CHS01060141	41	5604630020138	
CHS01060142	42	5604630020121	
CHS01060143	43	5604630020114	
CHS01060144	44	5604630020107	
CHS01060145	45	5604630020091	
CHS01060146	46	5604630020084	
CHS01060147	47	5604630020077	
CHS01060148	48	5604630136327	