

CELLULOSE DILUENT

CHEMICLEAN

CELLULOSE DILUENT



PRODUCT DESCRIPTION

CHEMICLEAN CELLULOSE DILUENT Diluent for diluting cellulose-based products (paints, undercoats, enamels and varnishes) and for cleaning and degreasing paint accessories, tools and metal parts.

CHARACTERISTICS

- ✓ Professional Quality
- ✓ Dilution of cellulose based products
- ✓ Excellent cleaning and degreasing agent for metal tools
- ✓ Cleans brushes, paintbrushes, rollers, spatulas and other painting accessories.
- ✓ Transparent appearance

TECHNICAL SPECIFICATIONS

| Properties | Value |
|-----------------|-------------------------------|
| Composition | Solvent mixture |
| Appearance | Clear liquid |
| Acidity Index | 0.1 mgKOH/g |
| Odor | Characteristic |
| C | 5 Hazen |
| Density at 20°C | Aprox. 0,85 g/cm ³ |
| pH | 5-8 |
| Humidity | ≤3.0 %(m/m) |

Results tested in the laboratory

APPLICATIONS

Diluent for diluting cellulose-based products (paints, undercoats, enamels and varnishes) and for cleaning and degreasing paint accessories, tools and metal parts

METHOD OF APPLICATION

Use the product at room temperature.

It should be applied directly, pure or diluted, depending on the application and/or the surface to be cleaned.

Pre-test on a small area of the surface to be treated.

SAFETY INFORMATION


In general avoid contact with eyes and skin, wear gloves, goggles and appropriate clothing. Keep out of reach of children. Liquid and vapor easily flammable. Do not dispose of waste into the sewer. Do not ingest the product. For further information and advice on the safe handling, storage and disposal of chemicals, physical, ecological, toxicological and other safety-related data the user should refer to the most recent version of the Product Safety Data Sheet containing physical, ecological, toxicological and other safety-related

STORAGE CONDITIONS AND SHELF LIFE

Store the original package tightly closed, upright, in a cool, dry and well-ventilated environment, the storage area should not exceed extreme temperature conditions (5-30°C), away from heat sources, sunlight and humidity.

The product has a shelf life of 12 months if kept in its original package and respecting the storage conditions.

PACKAGING

| SAP | Description | Volume L |  | EAN |
|-------------|---------------------------------|----------|---|---------------|
| CHC24030201 | CHEMICLEAN CELLULOSE DILUENT 1L | 1 | 1 | 5604630147804 |
| CHC24030205 | CHEMICLEAN CELLULOSE DILUENT 5L | 5 | 1 | 5604630147811 |

Note: This data sheet cancels and replaces others previously issued for the same product. The technical information provided, verbally or in writing, is based on our current knowledge and is given in good faith and supported by various laboratory tests. In view of the diversity of factors that can affect the product during use, as well as the varied application techniques, the user is responsible for confirming and performing his or her own tests and experiments, whether the product is suitable for the process and type of use in question. For these reasons, any application of the product is effected under the sole responsibility of the user, and CHEMITOOL- LUSAVOUGA S.A. cannot be held liable for any loss or damage resulting directly or indirectly from the application. All features, specifications and product images are subject to change without notice.