

REDUCTION RING



The CHEMITOOL reduction ring was developed to allow the professional to have the ability to reduce the diameter of the hole in a TCT saw blade to the desired diameter.

- ✓ Excellent quality/value ratio
- ✓ Steel
- ✓ Resistance to breakage
- ✓ Low vibration
- ✓ Long tool lifetime

The CHEMITOOL reduction ring is made of solid steel with external grooves for easy gripping of the TCT saw blade bore. The thickness of the washer is 1.8mm, thus ensuring greater resistance to deformation.

Use with TCT saw blades with a maximum bore of 30mm, allowing reductions to bores of 16, 20 and 25mm.

Do not use on TCT saw blades with a body thickness less than 1.8mm.

Packed in individual blister.

Material



Steel

Used in

TCT saw blade

Compatible Machine

Circular saw

SAP	Ø (mm)	Hole Diameter (mm)	Body Thickness (mm)			EAN
CHA1608300160180	30	16	1,8	1	1200	5604630140409
CHA1608300200180	30	20	1,8	1	1200	5604630140393
CHA1608300250180	30	25	1,8	1	400	5604630140386

Note: The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control, therefore we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusively to guarantee the quality of the products according to our standards.