



REINFORCED ALUMINUM LADDER

Professional aluminium stepladder - Robotic Welding. Extra deep tread nonslip steps (120 mm) and platform (290 mm), high quality hinges and tool holder. Safety straps and Extra slip-resistant feet.

Features

- ✓ Easy to transport and store
- \checkmark Solid and resistant structure
- ✓ Non-slip top in treated steel with locking system
- ✓ Equipped with tool holder tray
- ✓ Non-slip PVC support battens for maximum robustness
- ✓ Anti-opening safety straps
- ✓ Extra wide anti-slip 120 mm aluminium step with protective covers
- ✓ Steps with robotised welding High security joints

Certified to European standard EN131

TECHNICAL SPECIFICATIONS

	1000	E	∱ :	Æ	Max.	КС	Ð
REF	Number os steps	Maximum height of open ladder	Height to platform / landing	Maximum ladder height	working height maximum	Weight KG	Quantity per package
CHT200203030300	3	1,40 m	0,66 m	1,29 m	2,66 m	5,60 kg	1
CHT200203030400	4	1,66 m	0,88 m	1,52 m	2,88 m	6,73 kg	1
CHT200203030500	5	1,88 m	1,10 m	1,71 m	3,10 m	7,88 kg	1
CHT200203030600	6	2,11 m	1,33 m	1,95 m	3,33 m	9,34 kg	1
CHT200203030700	7	2,37 m	1,57 m	2,17 m	3,57 m	10,57 kg	1
CHT200203030800	8	2,61 m	1,80 m	2,40 m	3,80 m	11,85 kg	1
SAP		Description				EAN	
CHT200203030300		Reinforced Aluminum Ladder 3 Steps				5604630150156	
CHT200203030400		Reinforced Aluminum Ladder 4 Steps				5604630130295	
CHT200203030500		Reinforced Aluminum Ladder 5 Steps				5604630130288	
CHT200203030600		Reinforced Aluminum Ladder 6 Steps				5604630130271	
CHT200203030700		Reinforced Aluminum Ladder 7 Steps				5604630130264	
CHT200203030800		Reinforced Aluminum Ladder 8 Steps				5604630130257	

Note: The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control; therefore, we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusive to guarantee the quality of the products by our standards._REV_11_2022

