

CLEAN WATER PUMP WITH STAINLESS STEEL BODY



Submersible Clean Water Pump 550W, ideal for extracting water from wells, tanks or swimming pools.

Maximum immersion depth of 7m.

Maximum head of 7.5m.

Maximum particle size 5mm.

Maximum flow rate 8500L/h.

Maximum fluid temperature 35°C.

Supply voltage 230 V 50 Hz.

Characteristics

- ✓ Cable: 10 metres
- ✓ Cable: H05RNF3G - 0.75mm²x10
- ✓ Heavy duty motor seal
- ✓ Stainless Steel Pump Body
- ✓ Float switch with adjustable height

TECHNICAL SPECIFICATIONS

Code	CHG0040101005500
Maximum head	7,5 m
Maximum flow rate	8500 L/h
Watertightness	IPX8
Connections	1"; 1 1/4"; 1 1/2"
Maximum immersion depth	7 m
Maximum fluid temperature	35° C
Power supply cable	10 m
Body	Stainless Steel
Float switch	Yes
Power	550 W
Maximum particle size	5 mm
Supply voltage	230 V 50 Hz

SAP	Description	EAN
CHG0040101005500	Submersible Clean Water Pump 550W	5604630139779

Note: The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control, therefore we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusively to guarantee the quality of the products in accordance with our standards.