

SELF-ADHESIVE SANDING DISC PROGRIP WHITE

The self-adhesive sanding disc **PROGRIP WHITE CHEMITOOL** was specially designed for the wood (white and lacquered) and plasterboard industry sector, guaranteeing excellent performance, saving time and wear and tear for the operator. However, it can be used across all sectors of activity.



- ✓ **Excellent quality/value ratio**
- ✓ **Easy to use**
- ✓ **Diameter from 125 to 225mm**
- ✓ **Self-adhesive system**
- ✓ **Uniform finish**
- ✓ **Low possibility of soaking**
- ✓ **Long tool life**

The **CHEMITOOL** self-adhesive sanding disc is manufactured with excellent quality aluminum oxide grain, backed by type B paper (more aggressive grains) and type C (finer grains), and can be used on the most diverse substrates, wood, composites of wood, coatings and even plasterboard.

The 225mm versions (9 Holes and 15 Holes) are especially dedicated to work with a "giraffe" wall sander, covering a larger area, thus increasing sanding profitability

This excellent performance sanding disc, with hole variations of up to 17 holes, allows easy mounting on the vast majority of sanding pads used, creating an absorption flow by the machine, eliminating the accumulation of residues in the sanding disc, lowering the possibility to soak.

This type of disc allows them to be used for more aggressive sanding, as well as in preparation/step sanding.

CHEMITOOL offers six different types of self-adhesive sanding discs: without holes, 6, 8, 15 or 17 holes.

For use with the **CHEMITOOL Self-Adhesive Disc Backing Plate**.

Abrasive

Coated aluminum oxide

Suitable for



Wood, wood composites, paint and paint

Compatible Machine



Orbital, rotorbit or wall sander machine



Note: The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control, therefore we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusively to guarantee the quality of the products in accordance with our standards.

SAP	Diameter (mm)	Holes		Support	Abrasive	RPM		EAN
CHA150312508008	125	8	80	Self-Adhesive	Coated Aluminium Oxide	12 200	50	5604630164689
CHA150312510008	125	8	100	Self-Adhesive	Coated Aluminium Oxide	12 200	50	5604630164696
CHA150312512008	125	8	120	Self-Adhesive	Coated Aluminium Oxide	12 200	50	5604630164702
CHA150312515008	125	8	150	Self-Adhesive	Coated Aluminium Oxide	12 200	50	5604630164719
CHA150312518008	125	8	180	Self-Adhesive	Coated Aluminium Oxide	12 200	50	5604630164726
CHA150312522008	125	8	220	Self-Adhesive	Coated Aluminium Oxide	12 200	50	5604630164733
CHA150312532008	125	8	320	Self-Adhesive	Coated Aluminium Oxide	12 200	50	5604630164757
CHA150315006000	150	0	60	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630183321
CHA150315008000	150	0	80	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180559
CHA150315010000	150	0	100	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180566
CHA150315012000	150	0	120	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180573
CHA150315015000	150	0	150	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180580
CHA150315018000	150	0	180	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180597
CHA150315022000	150	0	220	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180603
CHA150315024000	150	0	240	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180610
CHA150315028000	150	0	280	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180627
CHA150315032000	150	0	320	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180634
CHA150315040000	150	0	400	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180641
CHA150315060000	150	0	600	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180658
CHA150315008006	150	6	80	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164788
CHA150315010006	150	6	100	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164795
CHA150315012006	150	6	120	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164801
CHA150315015006	150	6	150	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164818
CHA150315018006	150	6	180	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164825
CHA150315022006	150	6	220	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164832
CHA150315024006	150	6	240	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164849
CHA150315032006	150	6	320	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164856
CHA150315040006	150	6	400	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180665
CHA150315060006	150	6	600	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180672
CHA150315008015	150	15	80	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164986
CHA150315010015	150	15	100	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630164993
CHA150315012015	150	15	120	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630165006
CHA150315015015	150	15	150	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630165013
CHA150315018015	150	15	180	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630165020
CHA150315022015	150	15	220	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630165037
CHA150315024015	150	15	240	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630165044

Note: The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control, therefore we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusively to guarantee the quality of the products in accordance with our standards.

SAP	Diameter (mm)	Holes		Support	Abrasive	RPM		EAN
CHA150315032015	150	15	320	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630165051
CHA150315040015	150	15	400	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180689
CHA150315060015	150	15	600	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180696
CHA150315008017	150	17	80	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180702
CHA150315010017	150	17	100	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180719
CHA150315012017	150	17	120	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180726
CHA150315015017	150	17	150	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180733
CHA150315018017	150	17	180	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180740
CHA150315022017	150	17	220	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180757
CHA150315024017	150	17	240	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180764
CHA150315032017	150	17	320	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180771
CHA150315040017	150	17	400	Self-Adhesive	Coated Aluminium Oxide	8 500	50	5604630180788
CHA150322506009	225	9	60	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192606
CHA150322508009	225	9	80	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192613
CHA150322510009	225	9	100	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192620
CHA150322512009	225	9	120	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192637
CHA150322515009	225	9	150	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192644
CHA150322518009	225	9	180	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192651
CHA150322522009	225	9	220	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192668
CHA150322524009	225	9	240	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192675
CHA150322528009	225	9	280	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192682
CHA150322540009	225	9	400	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192699
CHA150322506015	225	15	60	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192507
CHA150322508015	225	15	80	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192514
CHA150322510015	225	15	100	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192521
CHA150322512015	225	15	120	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192538
CHA150322515015	225	15	150	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192545
CHA150322518015	225	15	180	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192552
CHA150322522015	225	15	220	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192569
CHA150322524015	225	15	240	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192576
CHA150322528015	225	15	280	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192583
CHA150322540015	225	15	400	Self-Adhesive	Coated Aluminium Oxide	6 800	50	5604630192590

Note: The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control, therefore we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusively to guarantee the quality of the products in accordance with our standards.