



## PADDED SOFTSHELL JACKET CREEK PAD

Padded softshell, SBS zip closure with "semi-auto lock" metal slider and customized pull. Adjustable and detachable hood with drawstring. Inner collar with polar fleece side details. Retroreflective strips on the lower back and back of the hood. Elasticated cuffs, adjustable with Velcro. Two side pockets with zip fastening, a breast pocket with coated zip and a pocket on the left arm with integrated pen holder, closed with a zip. Fluorescent pullers. One internal welt pocket, closed with Velcro. Adjustable bottom with customized stoppers. Level 3 thermal insulation and EN14058 certification for garments protecting against cold down to -5°C.

WP 8000 mm H<sub>2</sub>O, WVT 5000 g/m<sup>2</sup> 24h.

- ✓ Thermal insulation level 3
- ✓ Certified to work in environments as low as -5°C
- ✓ Waterproof
- ✓ Windproof
- ✓ Breathable
- ✓ Stretch
- ✓ Fleece lined collar
- ✓ Multi-pockets
- ✓ Reflective stripe on back and hood



## TECHNICAL SPECIFICATIONS

Composition	78% nylon + 22% elastane
Appearance	softshell
Colors	Black – red – navy blue - grey
Weight	330 gr
Sizes	XS-S-M-L-XL-XXL
Standards	<p>Personal protective equipment belonging to the medium risk category II according to the applicable essential health and safety requirements of Regulation (EU) 2016/245, with the standards:</p> <ul style="list-style-type: none"> <li>• EN ISO 13688: 2013 for protective clothing - general requirements.</li> <li>• EN 14058:2017 for protective clothing against cold.</li> </ul>

EN 14058:2017



EN 14058:2017	Requirements	Results
Thermal resistance (Rct)	Class 1 $0,06 \leq Rct < 0,12$ Class 2 $0,12 \leq Rct < 0,18$ Class 3 $0,18 \leq Rct < 0,25$ Class 4 $0,25 \leq Rct$	Class 4
Air Permeability (AP)	Class 1 $100 < AP$ Class 2 $5 < AP < 100$ Class 3 $AP \leq 5$	Class 2
Resultant effective thermal insulation (Icler)	$0,174 \leq Icler(m2K/W) < 0,265$	0,265
Water penetration (WP)	$> 8000Pa$	$> 20000Pa$

## MAINTENANCE AND STORAGE CARE

You must follow these guidelines to let that your clothing maintains its quality and extend its durability:

Taking into consideration normal wear and tear to maintain the integrity and preserve the durability of the clothing, it is necessary to take some precautions when handling and using and, strictly observe the washing instructions on the interior label.

Zip fasteners on clothing are tested by manufacturers through tensile tests to ensure strength during normal use.

The frequent use of clothing, particularly in the workplace, subject the zipper to considerable stress. In order to guarantee its durability, it must be used correctly, especially in the presence of the double slider, which works on a more delicate mechanism than an individual slider. By forcing the zipper, the sliding mechanisms are modified.

To ensure proper locking of the garment fastening and avoid accidental sliding: slide the zip pull until it reaches the upper end of the neck, position it lowered in the specific fabric cover.

Do not iron any reflecting tape, labels, prints or embroidery. The garment life depends on the type of use, cleanliness, storage, etc. The garments must be replaced when they can no longer guarantee optimal protection levels, e.g. if the material is damaged, worn or torn.

## CLEANING CARE



**This sheet is for information purposes only and does not exempt you from consulting the manual supplied with the garment.**

**Note:** The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control, therefore we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusively to guarantee the quality of the products in accordance with our standards.

## REFERENCES

SAP	Descrição	EAN
PS330048914018XS	BLACK PADDED SOFT-SHELL JACKET CREEK PAD #XS	8053368483093
PS330048914018S	BLACK PADDED SOFT-SHELL JACKET CREEK PAD #S	8053368482935
PS330048914018M	BLACK PADDED SOFT-SHELL JACKET CREEK PAD #M	8053368482850
PS330048914018L	BLACK PADDED SOFT-SHELL JACKET CREEK PAD #L	8053368482775
PS330048914018XL	BLACK PADDED SOFT-SHELL JACKET CREEK PAD #XL	8053368483017
PS330048914018XXL	BLACK PADDED SOFT-SHELL JACKET CREEK PAD #XXL	8053368483178
PS330048903015XS	RED PADDED SOFT-SHELL JACKET CREEK PAD #XS	8053368483024
PS330048903015S	RED PADDED SOFT-SHELL JACKET CREEK PAD #S	8053368482867
PS330048903015M	RED PADDED SOFT-SHELL JACKET CREEK PAD #M	8053368482782
PS330048903015L	RED PADDED SOFT-SHELL JACKET CREEK PAD #L	8053368482706
PS330048903015XL	RED PADDED SOFT-SHELL JACKET CREEK PAD #XL	8053368482942
PS330048903015XXL	RED PADDED SOFT-SHELL JACKET CREEK PAD #XXL	8053368483109
PS330048908017XS	NAVY BLUE PADDED SOFT-SHELL JACKET CREEK PAD #XS	8053368483055
PS330048908017S	NAVY BLUE PADDED SOFT-SHELL JACKET CREEK PAD #S	8053368482898
PS330048908017M	NAVY BLUE PADDED SOFT-SHELL JACKET CREEK PAD #M	8053368482812
PS330048908017L	NAVY BLUE PADDED SOFT-SHELL JACKET CREEK PAD #L	8053368482737
PS330048908017XL	NAVY BLUE PADDED SOFT-SHELL JACKET CREEK PAD #XL	8053368482973
PS330048908017XXL	NAVY BLUE PADDED SOFT-SHELL JACKET CREEK PAD #XXL	8053368483130
PS330048913010XS	GREY PADDED SOFT-SHELL JACKET CREEK PAD #XS	8053368483079
PS330048913010S	GREY PADDED SOFT-SHELL JACKET CREEK PAD #S	8053368482911
PS330048913010M	GREY PADDED SOFT-SHELL JACKET CREEK PAD #M	8053368482836
PS330048913010L	GREY PADDED SOFT-SHELL JACKET CREEK PAD #L	8053368482751
PS330048913010XL	GREY PADDED SOFT-SHELL JACKET CREEK PAD #XL	8053368482997
PS330048913010XXL	GREY PADDED SOFT-SHELL JACKET CREEK PAD #XXL	8053368483154

**Note:** The technical information provided, verbally or in writing, is based on our current knowledge and should be regarded as non-binding collaboration. The use of the product is beyond our control, therefore we disclaim all liability for improper use of the product. The customer is responsible for confirming and evaluating (through testing) whether the product is suitable for the process and type of use in question. Our purpose is exclusively to guarantee the quality of the products in accordance with our standards.