This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

	g: 11/12/2024 Date of compilation: 14/07/2023 Revised: 11/12/2024 Version: 2 (Replaced 1)
SEC	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
L.1	Product identifier: CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT
	Other means of identification:
	UFI: QT10-Y093-100D-QN3K
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Sealant
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	Lusavouga Avenida Europa, 375 3800-533 Aveiro - Cacia - Portugal Phone: +351 234 915 010 - Fax: +351 234 915 015 lusavouga@lusavouga.pt www.chemitool.com
1.4	Emergency telephone number: CIAV 800 250 250
SEC	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
2.1	CLP Regulation (EC) No 1272/2008:
	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008:
	Hazard statements:
	Non-applicable
	Precautionary statements:
	Non-applicable
	Supplementary information:
	EUH208: Contains 3-aminopropyltriethoxysilane, N-(3-(trimethoxysilyl)propyl)ethylenediamine, Trimethoxyvinylsilane. May produce an allergic reaction. EUH210: Safety data sheet available on request. UFI: QT10-Y093-100D-QN3K
2.3	Other hazards:
	Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.
SEC	TION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1	Substance:
J.1	Non-applicable
3.1	
	Mixture:
3.2	Mixture: Chemical description: Mixture of substances

- CONTINUED ON NEXT PAGE -

Revised: 11/12/2024

Date of compilation: 14/07/2023

Version: 2 (Replaced

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

Printing: 11/12/2024 Date of compilation: 14/07/2023 Revised: 11/12/2024 Version: 2 (Replaced 1) SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued) Identification Chemical name/Classification Concentration CAS: Self-classified 919-30-2 3-aminopropyltriethoxysilane 1 EC: 213-048-4 0,5 - <1 % Index: 612-108-00-0 Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger REACH: 01-2119480479-24 Regulation 1272/2008 XXXX 2768-02-7 220-449-8 CAS: ATP ATP15 Trimethoxyvinvlsilane 1 EC: 0.5 - <1 % Index: 014-049-00-0 Flam. Liq. 3: H226; Skin Sens. 1B: H317 - Warning 1) REACH: 01-2119513215-52-Regulation 1272/2008 XXXX 1760-24-3 CAS: N-(3-(trimethoxysilyl)propyl)ethylenediamine 1 Self-classified 217-164-6 EC: Index: 0,1 - <0,5 % Non-applicable $\langle ! \rangle \langle \rangle$ Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger REACH: 01-2119970215-39-Regulation 1272/2008 XXXX ¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

CHEMITOOL

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

Most important symptoms and effects, both acute and delayed: 4.2

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 **Extinguishing media:**

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

- CONTINUED ON NEXT PAGE -

Version: 2 (Replaced



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

Printing	: 11/12/2024	Date of compilation: 14/07/2023	Revised: 11/12/2024	Version: 2 (Replaced 1)
SEC	TION 5: FIREF	IGHTING MEASURES (continued)	
5.3		combustion or thermal decomposition re can present a serious health risk. efighters:	eactive sub-products are crea	ated that can become highly toxic and,
		num emergency facilities and equipmer 89/654/EC.		clothing and self-contained breathing apparatus lankets, portable first aid kit,) in accordance
	emergencies. I	Eliminate all sources of ignition. In case xplosion or BLEVE as a result of high te	of fire, cool the storage con	n actions to take after an accident or other tainers and tanks for products susceptible to of the products used to extinguish the fire into an

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 **Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

Conditions for safe storage, including any incompatibilities:

Date of compilation: 14/07/2023

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C

- CONTINUED ON NEXT PAGE -

Printing: 11/12/2024 1)

7.2

Revised: 11/12/2024

Version: 2 (Replaced



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

Printing: 11/12/2024 Date of compilation: 14/07/2023 Revised: 11/12/2024 Version: 2 (Replaced 1) SECTION 7: HANDLING AND STORAGE (continued) B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 7.3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 **Control parameters:** Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): There are no applicable occupational exposure limits for the substances contained in the product **DNEL (Workers):**

DILL (Workers).

Identification		Systemic	Local	Systemic	Local
3-aminopropyltriethoxysilane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 919-30-2	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 213-048-4	Inhalation	Non-applicable	Non-applicable	14 mg/m ³	Non-applicable
Trimethoxyvinylsilane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2768-02-7	Dermal	Non-applicable	Non-applicable	3,9 mg/kg	Non-applicable
EC: 220-449-8	Inhalation	Non-applicable	Non-applicable	27,6 mg/m ³	Non-applicable

Short exposure

Long exposure

DNEL (General population):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
3-aminopropyltriethoxysilane	Oral	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
CAS: 919-30-2	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 213-048-4	Inhalation	Non-applicable	Non-applicable	3,5 mg/m ³	Non-applicable
Trimethoxyvinylsilane	Oral	Non-applicable	Non-applicable	0,3 mg/kg	Non-applicable
CAS: 2768-02-7	Dermal	Non-applicable	Non-applicable	7,8 mg/kg	Non-applicable
EC: 220-449-8	Inhalation	Non-applicable	Non-applicable	18,9 mg/m ³	Non-applicable

PNEC:

CHEMITOOL

Identification				
3-aminopropyltriethoxysilane	STP	1,3 mg/L	Fresh water	Non-applicable
CAS: 919-30-2	Soil	Non-applicable	Marine water	Non-applicable
EC: 213-048-4	Intermittent	Non-applicable	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
N-(3-(trimethoxysilyl)propyl)ethylenediamine	STP	25 mg/L	Fresh water	0,062 mg/L
CAS: 1760-24-3	Soil	0,009 mg/kg	Marine water	0,006 mg/L
EC: 217-164-6	Intermittent	0,62 mg/L	Sediment (Fresh water)	0,22 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,022 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

Date of compilation: 14/07/2023

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Date of compilation: 14/07/2023

Printing: 11/12/2024

Revised: 11/12/2024

Version: 2 (Replaced 1)

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

<section-header></section-header>	ЕСТІС	ON 8: EXPOSURE	CONTROLS/PERSO	NAL PROTEC	TION (continued)		
<image/> Weight with with with with with with with wi							
Protecting product and second user		Pictogram	PPE	Labelling	CEN Standard	R	emarks
total reliability and has therefore to be checked prior to the application." D. Eye and face protection Percegram PPE Labelling CEN Standard Remarks Description of a plassification of						prolonged periods of professional users/indu CE III gloves in line w	exposure to the product for istrials, we recommend using ith standards EN 420:2004+
Pletagram PPE Labelling CEN Standard Remarks Wiggeneration Panoranic glasses against splash/projections. Set EN 166:2002 EN ISO 4007:2018 Clean daily and disintert periodically accorn of aploshing. E. Body protection Work cloaning CEN Standard Replace before any evidence of deterioratic periodical users CE II is recomm in accordance with the regulators is EN 20345:2012 y EN 1005 203:000, EN ISI 20345:2012 y EN 1005 203:0000, EN ISI 20345:2012 y EN 1005 203:000, EN ISI 20345:2012 y E		total reliability and	d has therefore to be che			erial can not be calcu	lated in advance with
Image: Statistic production Production Image: Statistic production Image: Statistic production F. Body protection Pletogram PPE Labelling CEN Standard Replace before any evidence of deterioratic periods of prolonged exposure to the product of prolonged exposure to the product of periods of prolonged exposure to the product	D			Labelling	CEN Standard	R	emarks
Pictogram PPE Labelling CEN Standard Remarks Work clothing Gen Perjace before any evidence of deterioratic periods of prolonged exposure to be produ- professional/industrial users CE III is recomming description of the product of the environment of prolonged exposure to the produ- professional/industrial users CE III is recomming description of the product of the environment of the environment it is recomming according with the regulations in EN 20345:2012 y EN 13832-1:2007 F Additional emergency measures Emergency measure Standards Emergency measure Standards Environmental exposure controls: Iso 3864-4:2011 Iso 3864-4:201 Iso 3864-4:201 DIN 12 899 Iso 3864-4:201 In accordance with the community legislation for the protection of the environment it is recommended to avoid environment aspilage of both the product and its container. For additional information see subsection 7.1.D DIN 12 899 Iso 3864-4:201 Volatile organic compounds: 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES Average molecular distance and properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid Liquid						the manufacturer's inst	tructions. Use if there is a risl
Work clothing Sec. 1 Work clothing Sec. 1 Anti-slip work shoes Sec. 1 Ex Jos 20347:2012 Replace before any evidence of deterioration periods of prolonged exposure to the product of the regulations in EX Disciplication with the regulation with regin with regin with regin with regin with regin with r	E.	Body protection					
Work clothing See Chill periods of prolonged exposure to the productional industrial users CE III is recommended to a posterior any evidence of deterioration in a condrance with the regulations in EN 25842013, EN 46421994. Anti-slip work shoes See Chill EN 150 20347:2012 Replace before any evidence of deterioration in a condrance with the regulations in EN 20345:2012, EN 160 6307:000764 exposure to the product of prolonged exposure to the product of prolonged exposure to the product of prolonged exposure to the production of productions of prolonged exposure to the production of productions of		Pictogram	PPE	Labelling	CEN Standard	R	emarks
Anti-slip work shoes EN ISO 20347:2012 periods of prolonged exposure to the product on EN ISO 20347:2012 F Additional emergency measures Energency measure Standards peressional/industrial users CE II is recommon in accordance with the regulations in EN 20345:2012 y EN 13832:1:2007 F Additional emergency measures Emergency measure Standards Emergency measure Standards Emergency measure Iso 3864-1:2011, ISO 3864-4:2011 Iso 3864-4:2011 Iso 3864-4:201 Iso 3864-4:201 Emergency shower Iso 3864-1:2011, ISO 3864-4:2011 Iso 3864-4:201 Iso 3864-4:201 Iso 3864-4:201 Horisonmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Din 12 899 Iso 3864-1:201 Volatile organic compounds: Vith regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight Average carbon number: Non-applicable Non-applicable Ecoron product and chemical properties: Storton 9: PHYSICAL AND CHEMICAL PROPERTIES Enformation on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C:			Work clothing	CATI		periods of prolonged professional/industrial in accordance with 6529:2013, EN I	exposure to the product for users CE III is recommended the regulations in EN ISO SO 6530:2005, EN ISO
Emergency measure Standards Emergency measure Standards Image: Imag					EN ISO 20347:2012	periods of prolonged professional/industrial in accordance with	exposure to the product for users CE III is recommended the regulations in EN ISO
Image: Distribution of the product and its container. For additional information see subsection 7.1.D Distribution	F.	Additional emerge	ency measures				
ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011 Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES P.1 Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid		Emergency mea	asure S	andards	Emergency mea	sure	Standards
Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid		Emergency sho	ISO 3864-1:20				
In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES P.1 Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid	F		1				
With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 1 Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid	In sp	n accordance with th pillage of both the p	e community legislation roduct and its container.				void environmental
V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES A for complete information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid		6	•	uct has the follo	wing characteristics:		
Average carbon number: Non-applicable Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES Section on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid							
Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES Section on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid		V.O.C. density at	20 °C: 0 kg/	m³ (0 g/L)			
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid		Average carbon n	umber: Non-	applicable			
Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid		Average molecula	ar weight: Non-	applicable			
For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid	ΞΟΤΙΟ	ON 9: PHYSICAL	AND CHEMICAL PRO	PERTIES			
For complete information see the product datasheet. Appearance: Physical state at 20 °C: Liquid	1 ir	nformation on basi	c physical and chemica	l properties:			
Physical state at 20 °C: Liquid							
*Not relevant due to the nature of the product, not providing information property of its hazards.		-					
	*N	Not relevant due to the n	ature of the product, not provi	Jing information pro	perty of its hazards.		
- CONTINUED ON NEXT PAGE -				- CONTINUED O	N NEXT PAGE -		
nting: 11/12/2024 Date of compilation: 14/07/2023 Revised: 11/12/2024 Version: 2 (Replaced							
	ing: 11	./12/2024 Dat	e of compilation: 14/07/2	2023 Revi	sed: 11/12/2024	Version: 2 (Replaced	Page

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

Printing	g: 11/12/2024	Date of compilation: 14/07/2023	Revised: 11/12/2024	Version: 2 (Replaced 1)
SEC	TION 9: PHYSI	CAL AND CHEMICAL PROPERTI	ES (continued)	
	Appearance:		Paste	
	Colour:		According to the marking	s on the package
	Odour:		Characteristic	
	Odour threshold	d:	Non-applicable *	
	Volatility:			
	Boiling point at	atmospheric pressure:	Non-applicable *	
	Vapour pressure	e at 20 °C:	Non-applicable *	
	Vapour pressure	e at 50 °C:	Non-applicable *	
	Evaporation rate	e at 20 °C:	Non-applicable *	
	Product descri	ption:		
	Density at 20 °C	2:	~1 kg/m³	
	Relative density	v at 20 °C:	1	
	Dynamic viscos	ity at 20 °C:	Non-applicable *	
	Kinematic visco	sity at 20 °C:	Non-applicable *	
	Kinematic visco	sity at 40 °C:	≈8280 mm²/s	
	Concentration:		Non-applicable *	
	pH:		Non-applicable *	
	Vapour density	at 20 °C:	Non-applicable *	
	Partition coeffic	ient n-octanol/water 20 °C:	Non-applicable *	
	Solubility in wat	ter at 20 °C:	Non-applicable *	
	Solubility prope	rties:	Non-applicable *	
	Decomposition	temperature:	Non-applicable *	
	Melting point/fre	eezing point:	Non-applicable *	
	Flammability:			
	Flash Point:		>100 °C	
	Flammability (se	olid, gas):	Non-applicable *	
	Autoignition ten	nperature:	>235 °C	
	Lower flammab	ility limit:	Non-applicable *	
	Upper flammab	ility limit:	Non-applicable *	
	Particle charac	cteristics:		
	Median equival	ent diameter:	Non-applicable	
9.2	Other informat	tion:		
	Information wi	th regard to physical hazard classes	:	
	Explosive prope	erties:	Non-applicable *	
	Oxidising prope	rties:	Non-applicable *	
	Corrosive to me	etals:	Non-applicable *	
	Heat of combus	tion:	Non-applicable *	
	components:	ercentage (by mass) of flammable	Non-applicable *	
	Other safety cl Surface tension		Non applicable *	
			Non-applicable *	
	Refraction index		Non-applicable *	
	*Not relevant due t	o the nature of the product, not providing inform	nation property of its hazards.	

- CONTINUED ON NEXT PAGE -

Date of compilation: 14/07/2023

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

Printing:	11/12/2024 D	Date of compilation: 14/07/2023	Revised: 11/12/2024	Version: 2 (Replace	ed 1)
SECT	FION 10: STABILI	TY AND REACTIVITY			
10.1	Reactivity:				
	No hazardous reac	tions are expected because the pr	roduct is stable under reco	mmended storage conditi	ons. See section 7.
10.2	Chemical stability	<i>r</i> :			
	Chemically stable ι	under the indicated conditions of s	storage, handling and use.		
10.3	Possibility of haza	ardous reactions:			
	Under the specified	d conditions, hazardous reactions	that lead to excessive tem	peratures or pressure are	not expected.
10.4	Conditions to avo	id:			
	Applicable for hand	dling and storage at room tempera	iture:		
	Shock and friction	on Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	e Not applicable	Precaution	Precaution	Not applicable
10.5	Incompatible mate	erials:			
	Acids	Water	Oxidising materials	Combustible materials	Others
	Avoid strong aci	ids Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases
10.6	Hazardous decom	position products:			

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

CHEMITOOL

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific CHEMITOOL

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

	ON 11: TOX	ICOLOGICA	L INFORMATION (c	continued)			
F	hazardous - Skin: Ba dangerous	with sensitisin sed on availal with sensitisin	a available data, the class ng effects. For more info ole data, the classification ng effects. For more info icity (STOT) - single exp	ormation see section 3 on criteria are not me ormation see section 3	3. t. However, it con		
(this effect.	For more info	the classification criteri rmation see section 3. icity (STOT)-repeated e		oes not contain su	bstances classified as	hazardous fo
ŀ	does not co - Skin: Ba	ontain substar sed on availal for this effect.	oxicity (STOT)-repeated nces classified as hazard ble data, the classification . For more information s	dous for this effect. For on criteria are not me	or more informatio	n see section 3.	
			, the classification criteri rmation see section 3.	ia are not met, as it d	oes not contain su	bstances classified as	hazardous fo
C	Other informa						
		ation:					
١	Other information	ation:	ation on the substance	es:			
١	Other information	ation:		es:		Acute toxicity	Genus
۲ ع	Other informa Non-applicable Specific toxice	ation: e ology inform	ation on the substance	es:		Acute toxicity	
r S	Other informa Non-applicable Specific toxico 3-aminopropyltrie	ation: e ology inform		es:	LD50 oral	1491 mg/kg	Rat
1	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2	ation: e ology inform		es:	LD50 oral LD50 dermal	1491 mg/kg 4000 mg/kg	Rat
1 2	Other informa Non-applicable Specific toxice 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4	ation: ology inform ethoxysilane		es:	LD50 oral LD50 dermal LC50 inhalation	1491 mg/kg 4000 mg/kg >20 mg/L	Rabbit
1	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi	ation: ology inform ethoxysilane		es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg	Rat Rabbit Rat
1	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7	ation: ology inform ethoxysilane		es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg	Rat Rabbit Rabt
1	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8	ation: e ology inform ethoxysilane ilane	Identification	es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L	Rat Rabbit Rat Rabbit
1	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys	ation: e ology inform ethoxysilane ilane	Identification	es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation LD50 oral	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg	Rat Rabbit
1	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys CAS: 1760-24-3	ation: e ology inform ethoxysilane ilane	Identification	es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 oral	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg >2000 mg/kg	Rat Rabbit Rat Rabbit
2	Other informa Non-applicable Specific toxice 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys CAS: 1760-24-3 EC: 217-164-6	ation: e ology inform ethoxysilane ilane silyl)propyl)ethyle	Identification	es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation LD50 oral	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg	Rat Rabbit Rat Rabbit
2	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys CAS: 1760-24-3	ation: e ology inform ethoxysilane ilane silyl)propyl)ethyle	Identification	es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 oral	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg >2000 mg/kg	Rat Rabbit Rat Rabbit
2	Other informa Non-applicable Specific toxice 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys CAS: 1760-24-3 EC: 217-164-6	ation: e ology inform ethoxysilane ilane silyl)propyl)ethyle	Identification	es:	LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 oral	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg >2000 mg/kg	Rat Rabbit Rat Rabbit Rat
2	Other informa Non-applicable Specific toxice 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys CAS: 1760-24-3 EC: 217-164-6	ation: e ology inform ethoxysilane ilane silyl)propyl)ethyle	Identification enediamine TE mix):		LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 dermal LD50 oral LD50 oral LD50 dermal LC50 inhalation	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg >2000 mg/kg >20 mg/L	Rat Rabbit Rat Rabbit Rat
2	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys CAS: 1760-24-3 EC: 217-164-6 Acute Toxicity	ation: e ology inform ethoxysilane ilane silyl)propyl)ethyle	Identification enediamine TE mix): ATE mix	culation method)	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LC50 inhalation LD50 oral LD50 oral LD50 dermal LC50 inhalation	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg >2000 mg/kg >20 mg/L Ingredient(s) of unkr	Rat Rabbit Rat Rabbit Rat
2	Other informa Non-applicable Specific toxico 3-aminopropyltrie CAS: 919-30-2 EC: 213-048-4 Trimethoxyvinylsi CAS: 2768-02-7 EC: 220-449-8 N-(3-(trimethoxys CAS: 1760-24-3 EC: 217-164-6 Acute Toxicity Oral	ation: e ology inform ethoxysilane ilane silyl)propyl)ethyle	Identification enediamine TE mix): ATE mix >2000 mg/kg (Cal >2000 mg/kg (Cal	culation method)	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LD50 oral LD50 dermal LD50 dermal LC50 inhalation	1491 mg/kg 4000 mg/kg >20 mg/L 7236 mg/kg 3880 mg/kg >20 mg/L >5000 mg/kg >2000 mg/kg >20 mg/L Ingredient(s) of unkr	Rat Rabbit Rat Rabbit Rat

Endocrine-disrupting properties: The product fails to meet the criteria.

Date of compilation: 14/07/2023

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
3-aminopropyltriethoxysilane	LC50	934 mg/L (96 h)	Danio rerio	Fish
CAS: 919-30-2	EC50	331 mg/L (48 h)	N/A	Crustacean
EC: 213-048-4	EC50	603 mg/L (72 h)	Desmodesmus subspicatus	Algae

- CONTINUED ON NEXT PAGE -

Version: 2 (Replaced

Page 8/12

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

	TION 12: ECOLOGICAL INFORMATION	ON (continued)				
	Identification		Concentration		Creasian	Conus
	Identification	1.050	Concentration	0.	Species	Genus
	Trimethoxyvinylsilane CAS: 2768-02-7	LC50 EC50	191 mg/L (96 h) 167 mg/L (48 h)		corhynchus mykiss Daphnia magna	Fish Crustacean
	EC: 220-449-8	EC50	957 mg/L (72 h)		N/A	Algae
	N-(3-(trimethoxysilyl)propyl)ethylenediamine	LC50	597 mg/L (96 h)		Brachydanio rerio	Fish
	CAS: 1760-24-3	EC50	81 mg/L (48 h)		Daphnia magna	Crustacean
	EC: 217-164-6	EC50	8,8 mg/L (72 h)		astrum capricornutum	Algae
	Chronic toxicity:				· · · · · · · · · · · · · · · · · · ·	
	Identification		Concentration		Species	Genus
	Trimethoxyvinylsilane	NOEC	Non-applicable		opecies	Genus
	CAS: 2768-02-7 EC: 220-449-8	NOEC	28,1 mg/L		Daphnia magna	Crustacean
2.2	Persistence and degradability:				Bapinia niagia	oraciacióan
	Substance-specific information:					
	•					
	Identification		Degradability		Biodegradability	
	3-aminopropyltriethoxysilane	BOD5	Non-applicable	Concentration		pplicable
	CAS: 919-30-2	COD	Non-applicable	Period	28 da	ys
	EC: 213-048-4	BOD5/COD	Non-applicable	% Biodegradab		
	Trimethoxyvinylsilane	BOD5	Non-applicable	Concentration	104 m	•
	CAS: 2768-02-7	COD	Non-applicable	Period	28 da	ys
	EC: 220-449-8	BOD5/COD	Non-applicable	% Biodegradab		maliochio
	N-(3-(trimethoxysilyl)propyl)ethylenediamine CAS: 1760-24-3	BOD5 COD	Non-applicable Non-applicable	Concentration Period	28 da	pplicable
	EC: 217-164-6	BOD5/COD	Non-applicable	% Biodegradab		y3
2.3	Bioaccumulative potential:	0000/000	Non applicable	70 Diodegradat	55 70	
	Not available					
2.5 2.6	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The proc	duct fails to meet the	criteria.			
-	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The proc Other adverse effects:	duct fails to meet the	criteria.			
2.6	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The proc	duct fails to meet the	criteria.			
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The proc Other adverse effects: Not described		criteria.			
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The proc Other adverse effects: Not described		criteria.		Waste class (Reg	
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The proc Other adverse effects: Not described TION 13: DISPOSAL CONSIDERATIO Waste treatment methods:	DNS Description			Waste class (Reg 1357/20 Non dang	014)
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet effects: Not described TION 13: DISPOSAL CONSIDERATION Waste treatment methods: Code 08 04 10 waste adhesives and sealants or	DNS Description ther than those mentioned			1357/20	014)
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails Other adverse effects: Not described TION 13: DISPOSAL CONSIDERATION Waste treatment methods: Code 08 04 10 waste adhesives and sealants on Type of waste (Regulation (EU) No 135)	DNS Description ther than those mentioned			1357/20	014)
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails Endocrine-disrupting properties: The product fails Other adverse effects: Not described TION 13: DISPOSAL CONSIDERATION Waste treatment methods: Code 08 04 10 waste adhesives and sealants on Type of waste (Regulation (EU) No 135) Non-applicable	Description ther than those mentioned 57/2014):			1357/20	014)
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails Other adverse effects: Not described TION 13: DISPOSAL CONSIDERATION Waste treatment methods: Code 08 04 10 waste adhesives and sealants on Type of waste (Regulation (EU) No 135)	Description ther than those mentioned 57/2014):			1357/20	014)
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: The product fails Endocrine-disrupting properties: The product fails Other adverse effects: Not described TION 13: DISPOSAL CONSIDERATION Waste treatment methods: Code 08 04 10 waste adhesives and sealants on Type of waste (Regulation (EU) No 135) Non-applicable	DNS Description ther than those mentioned (7/2014): luation): nager on the assessm (2014/955/EC) of the ay as the actual produced paragraph 6.2.	d in 08 04 09 nent and disposal o e code and in case	the container h	1357/20 Non dang cordance with Anne> as been in direct cor	(1 and Anne ntact with the
2.6 2.7	Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: Endocrine-disrupting properties: The product fails to meet PBT/vPvB criteria Endocrine disrupting properties: Endocrine-disrupting properties: Endocrine-disrupting properties: The product of the adverse effects: Not described TION 13: DISPOSAL CONSIDERATION Waste treatment methods: Code 08 04 10 waste adhesives and sealants on Type of waste (Regulation (EU) No 135 Non-applicable Waste management (disposal and eval Consult the authorized waste service mar 2 (Directive 2008/98/EC). As under 15 01 product, it will be processed the same was should not be disposed of to drains. See	Description ther than those mentioned (7/2014): Inager on the assessment (2014/955/EC) of the ay as the actual produce paragraph 6.2. Thent:	d in 08 04 09 nent and disposal o e code and in case	the container h	1357/20 Non dang cordance with Anne> as been in direct cor	(1 and Anne ntact with the

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific CHEMITOOL

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

11/12/2024	Date of compilation: 14/07/ DISPOSAL CONSIDERATIONS					
manageme	ent are stated	C) No 1907/2006 (REACH) the community or state provisions related to 2014/955/EU, Regulation (EU) No 1357/2014	o waste			
HON 14: I	RANSPORT INFORMATION					
	rt of dangerous goods by land:					
0	ard to ADR 2021 and RID 2021:	New eveloped -				
	UN number or ID number: UN proper shipping name:	Non-applicable Non-applicable				
	Transport hazard class(es):	Non-applicable				
20	Labels:	Non-applicable				
14.4	Packing group:	Non-applicable				
14.5		No				
14.6	Special precautions for user					
	Special regulations:	Non-applicable				
	Tunnel restriction code:	Non-applicable				
	Physico-Chemical properties:	see section 9				
14.7	Limited quantities: Maritime transport in bulk according to IMO instruments:	Non-applicable Non-applicable				
Transno	rt of dangerous goods by sea:					
-						
0	ard to IMDG 40-20:					
	UN number or ID number:	Non-applicable				
	UN proper shipping name:	Non-applicable				
14.3	Transport hazard class(es): Labels:	Non-applicable				
14.4	Packing group:	Non-applicable Non-applicable				
14.5		No				
14.6	Special precautions for user					
2	Special regulations:	Non-applicable				
	EmS Codes:					
	Physico-Chemical properties:	see section 9				
	Limited quantities:	Non-applicable				
	Segregation group:	Non-applicable				
	Maritime transport in bulk according to IMO instruments:	Non-applicable				
Transport of dangerous goods by air:						
With rega	ard to IATA/ICAO 2023:					
14.1	UN number or ID number:	Non-applicable				
14.2	UN proper shipping name:	Non-applicable				
14.3	Transport hazard class(es):	Non-applicable				
	Labels:	Non-applicable				
14.4		Non-applicable				
14.5		No				
14.6	Special precautions for user					
	Physico-Chemical properties:	see section 9				
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable				

SECTION 15: REGULATORY INFORMATION

- CONTINUED ON NEXT PAGE -

Revised: 11/12/2024

Version: 2 (Replaced

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CU 10224 T+

nting:	11/12/2024	Date of compilation: 14/0	7/2023	Revised: 11/12/2024	Version: 2 (Replaced 1)			
SEC.	TION 15: REGU	LATORY INFORMATIC	N (contin	ued)				
15.1	Candidate subst Substances inclu Regulation (EC) Article 95, REGU REGULATION (E Seveso III: Non-applicable Limitations to c Non-applicable Specific provisi It is recommend	ances for authorisation und ided in Annex XIV of REAC No 1005/2009, about subs LATION (EU) No 528/2012 U) No 649/2012, in relation ommercialisation and the ons in terms of protectin ed to use the information in order to establish the neces	der the Reg CH ("Author stances that 2: Non-appl n to the imp e use of ce g people c ncluded in t	port and export of hazardous ertain dangerous substanc or the environment: this safety data sheet as a ba	(REACH): Non-applicable e: Non-applicable			
	The product could be affected by sectorial legislation							
15.2								
10.1	enemieat salet							
SEC	TION 16: OTHE	not carried out evaluation		al safety.				
SEC.	TION 16: OTHE Legislation rela The SDS shall b has been design	not carried out evaluation R INFORMATION ted to safety data sheets e supplied in an official lan ed in accordance with ANN	: guage of th NEX II-Guid	e country where the produc	t is placed on the market. This safety data sheet y data sheets of Regulation (EC) No 1907/2006			
SEC	TION 16: OTHE Legislation rela The SDS shall b has been design (COMMISSION I	not carried out evaluation R INFORMATION ted to safety data sheets a supplied in an official lan ed in accordance with ANN EGULATION (EU) 2020/81	: guage of th NEX II-Guid 78).	e country where the produc	y data sheets of Regulation (EC) No 1907/2006			
SEC	TION 16: OTHE Legislation rela The SDS shall b has been design (COMMISSION I Modifications r Non-applicable Texts of the leg The phrases ind components whi CLP Regulation Acute Tox. 4: H3 Eye Dam. 1: H3 Flam. Liq. 3: H2 Skin Corr. 1B: H Skin Sens. 1: H3 Skin Sens. 1B: H Classification p Non-applicable Advice related Training is recom	not carried out evaluation R INFORMATION ted to safety data sheets a supplied in an official lan ed in accordance with ANN REGULATION (EU) 2020/8: elated to the previous Sa islative phrases mention cated do not refer to the p ch appear in section 3 (EC) No 1272/2008: 02 - Harmful if swallowed. 8 - Causes serious eye da 26 - Flammable liquid and 314 - Causes severe skin b 17 - May cause an allergic 317 - May cause an allergic straining:	: guage of th VEX II-Guid 78). fety Data \$ ed in secti roduct itsel mage. vapour. vapour. ourns and e skin reacti jc skin reacti nt industria	te country where the produce e to the compilation of safet Sheet which concerns the on 3: f; they are present merely for eye damage. on. tion.	y data sheets of Regulation (EC) No 1907/2006			

- CONTINUED ON NEXT PAGE -

Revised: 11/12/2024

Version: 2 (Replaced

Date of compilation: 14/07/2023

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific CHEMITOOL

legislation

CH0231T* - CHEMISIL SILICONE NEUTRAL ULTIMATE AYT

Printing: 11/12/2024	Date of compilation: 14/07/2023	Revised: 11/12/2024	Version: 2 (Replaced 1)	
SECTION 16: OTH	IER INFORMATION (continued)			
IMDG: Internati IATA: Internati ICAO: Internati COD: Chemica BOD5: 5day bi BCF: Bioconce LD50: Lethal C LC50: Lethal C EC50: Effective LogPOW: Octa Koc: Partition UFI: unique fo	n agreement concerning the internationa tional maritime dangerous goods code onal Air Transport Association ional Civil Aviation Organisation al Oxygen Demand iochemical oxygen demand entration factor Dose 50 Concentration 50 e concentration 50 anolwater partition coefficient coefficient of organic carbon rmula identifier ional Agency for Research on Cancer	al carriage of dangerous goo	ds by road	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Date of compilation: 14/07/2023