

SAFETY SHOE

MUGELLO II S1PS SR FO HRO ESD



Sapato de Segurança MUGELLO II S1PS SR FO HRO ESD made from breathable fl yknit mesh with TPU reinforcements, it combines lightness and durability. Composite toe cap and non-metallic anti-perforation insole, offering security against piercing objects from 3mm upwards. The high-density hi-poly insole offers not only comfort, but also extra protection against bacteria and mould and its ability to absorb perspiration keeps feet dry for longer. The EVA and rubber outsole guarantees superior cushioning, excellent grip and durability on challenging surfaces.

- ✓ **Composite toe cap**
- ✓ **Non-metallic anti-perforation insole**
- ✓ **Hi-Poly Shock-absorbing and antibacterial insole**
- ✓ **Anti-static sole with impact absorption on the heel**
- ✓ **Oil and hydrocarbon resistant sole**
- ✓ **Penetration resistant sole**
- ✓ **HRO Sole - resistance of the outsole to hot contact 300°C**

CE II CAT
EN ISO 20345:2022



TECHNICAL SPECIFICATIONS

| COMPOSITION | MESHES FABRIC |
|-------------------------|------------------------|
| Exterior | Meshes fabric |
| Interior | Fabric |
| Anti-perforation insole | No metallic |
| Insole | Hi-Poly |
| Toe cap | Composite |
| Outsole | Rubber + EVA |
| Color | Black/Red; Black/Grey; |
| Sizes | 36-47 |

HRO SOLE 300°C RESISTANT SOLE



- **HRO SOLE**
SOLE RESISTANT TO 300°C
- **SOLE HRO**
RÉSISTANCE JUSQU'À 300°C

COMPOSITE TOE CAP CE 200J



- **CE 200J COMPOSITE TOE CAP**
- **CE 200J EMBOUT COMPOSITE**

INSOLE ANTIBACTERIAL SHOCK ABSORBING



- **HI-POLY INSOLE**
MORE ALL-DAY COMFORT
- **MODÈLE HI-POLY**
PLUS CONFORT TOUTE LA JOURNÉE

OUTSOLE RUBBER + EVA



- **PU SOLE DUAL DENSITY**
- **PU SOLE DOBLE DENSITÉ**

NON-METALLIC NO METALLIC COMPONENTS



- **NON-METALLIC**
NO METAL COMPONENTS
- **NON-MÉTALLIQUE**
SANS COMPOSANTS MÉTALLIQUES

MAINTENANCE AND STORAGE CARE

You must follow these guidelines to allow that your footwear keeps its quality and **extend its durability**.

- When taking off your shoes, let your footwear air out before storing them.
- You should always keep your shoes dry and preferably clean. You can place a sheet of newspaper or absorbent paper inside the shoes to absorb the moisture from sweating. It prevents bad odours and the creation of bacteria that can cause fungus.
- You must not use the same shoes twice in a row! The shoes must have time to completely dry the sweating that they have absorbed during the day. If they are damp, can develop bacteria causing unpleasant odours and, even more serious, the proliferation of fungus and consequently diseases, such as unwanted mycoses.
- Clean regularly with a brush or cloth to prevent accumulation of dirt and preferably wash them at least once a month.
- Regularly disinfect the shoe inside with a suitable spray, you can also use isopropyl alcohol or baking soda.
- Wash the insole regularly and change it when it is not in its proper condition.
- Shoes should be stored in their original packaging in a cool, dry place and away from light.

HOW TO CLEAN TO REMOVE MORE DIFFICULT DIRT

- **Leather footwear:** clean with a slightly damp cloth and, as the last option you can use a soft cloth or a soft brush with neutral soap. You should avoid this procedure as it can stain the leather, test before in a less visible area. Let it air dry, but not expose to the sun, after drying apply a moisturizing cream or shoe polish
- **Suede footwear:** To protect against stains and water splashes, you should use a suitable waterproofing spray. Do not use water to clean this material. To clean, use a bristle brush and brush the shoes in the opposite direction to the suede fibres to remove dust and dirt. At the end, pass the brush in the suede fibres direction to leave it in the initial position.
- **Microfiber and fabric footwear:** Microfiber can be washed or sanitized at up to 60°C without drying out or losing its original characteristics. You should only wash it with water and neutral detergent. Microfiber shoes should also dry at room temperature and in the shade, and never near sources of intense heat, such as clothes dryers, boilers, heaters, stoves, cookers or the sun, as the footwear can lose its flexibility.

| SAP | SIZE | EAN | COLOR |
|---------------|------|---------------|-------|
| CHS0106040136 | 36 | 5604630209427 | |
| CHS0106040137 | 37 | 5604630209434 | |
| CHS0106040138 | 38 | 5604630209441 | |
| CHS0106040139 | 39 | 5604630209458 | |
| CHS0106040140 | 40 | 5604630209465 | |
| CHS0106040141 | 41 | 5604630209472 | |
| CHS0106040142 | 42 | 5604630209489 | |
| CHS0106040143 | 43 | 5604630209496 | |
| CHS0106040144 | 44 | 5604630209502 | |
| CHS0106040145 | 45 | 5604630209519 | |
| CHS0106040146 | 46 | 5604630209526 | |
| CHS0106040147 | 47 | 5604630209533 | |

Note: The technical information provided, either verbally or in writing, is based on our current knowledge and should be considered as collaboration without commitment. The use of the product is beyond our control, thus, we rule out any responsibility for its improper use. The customer is responsible to confirm and validate (by testing) if the product is suitable for the process and the type of use in question. Our purpose is exclusively to guarantee the quality of the products, according to our standards.



| SAP | SIZE | EAN | COLOR |
|---------------|------|---------------|-------|
| CHS0106040036 | 36 | 5604630209564 | |
| CHS0106040037 | 37 | 5604630209571 | |
| CHS0106040038 | 38 | 5604630209588 | |
| CHS0106040039 | 39 | 5604630209595 | |
| CHS0106040040 | 40 | 5604630209601 | |
| CHS0106040041 | 41 | 5604630209618 | |
| CHS0106040042 | 42 | 5604630209625 | |
| CHS0106040043 | 43 | 5604630209632 | |
| CHS0106040044 | 44 | 5604630209649 | |
| CHS0106040045 | 45 | 5604630209656 | |
| CHS0106040046 | 46 | 5604630209663 | |
| CHS0106040047 | 47 | 5604630209670 | |

Note: The technical information provided, either verbally or in writing, is based on our current knowledge and should be considered as collaboration without commitment. The use of the product is beyond our control, thus, we rule out any responsibility for its improper use. The customer is responsible to confirm and validate (by testing) if the product is suitable for the process and the type of use in question. Our purpose is exclusively to guarantee the quality of the products, according to our standards.